



TXMAS CONTRACT: TXMAS-9-84070  
Prices Effective July 2009  
Federal ID No. 65-043-8414

Maxa Beam Searchlights, Inc.  
DBA MaxaVision Technologies  
PO Box 4251  
Tequesta, FL 33469-9251  
561-743-8180 ph 561-743-8173 fax  
sales@maxavision.net www.maxavision.net

## GENERATION 2 & 3 NIGHT VISION BINOCULARS & MONOCULARS



## HIGH INTENSITY XENON SEARCHLIGHTS & LED FLASHLIGHTS



## THE LATEST IN PORTABLE VIDEO INSPECTION SYSTEMS





Engineered for life

MaxaVision Technologies  
 169 Tequesta Dr. #24E  
 Tequesta, FL 33469  
 561-743-8180  
 sales@maxavision.net  
 www.maxavision.net

Item	Description	GSA
<b>Gen III Night Vision Goggles</b>		
A3256387	F5001K, AN/PVS-7D NVG (OMNI IV)	3,929.54
269462-12	F5050YG NVG W/F9800YG	10,995.49
269462-15	F5050SLG NVG W/F9800SLG	8,086.20
NEPVS14-17	NEPVS14, W/HDMT, F9815SLG	3,167.49
A3256337-10	F6015KA, AN/PVS-14	3,934.04
A3256337-20	F6015KGA, PVS-14 OMNI VII	4,281.03
<b>Night Vision Accessories</b>		
266653	LENS, RELAY, 2/3	811.14
267493	RELAY LENS, 1 INCH	815.65
268472	LPBP MOUNTING BRACKET	3.97
268465	POWER PACK ASSY - LPBP	333.47
268549	PURGE KIT	2,072.92
269390-2	PURGE ADAPTER ASSY, PVS-7	121.67
271258	LENS COVER	36.50
272727	LENS, 60-300MM MANUAL W/C MNT ADAPTER	545.26
273270-1	HELMET MOUNT ASSY, MICH/CVC, F5050	1,576.14
273483	SPECIALIZED TOOL SET FOR MNVD	2,111.58
273577	5X MAGNIFIER LENS ASSY	1,018.44
273601	OBJECTIVE LENS, 6X, 162MM	1,036.46
274049-1	ASSY, ADAPTER, F6015 TO CAMERA	41.91
274336	NE6010 CAMERA ADAPTER KIT	111.31
274337	STEP/UP, STEP/DOWN3 RING KIT	68.50
274422-1	BATTERY HSNNG ASSY, SINGLE BATT	261.37
274479-1	MASK ASSEMBLY, F5050 NVG	536.26
274897-1	KIT, FRONT BRACKET, MICH HELMET	45.97
275121-2	FACE MASK ASSEMBLY	387.55
5009493	CAP	1.26
A3144318	CAP,LENS	1.76
A3144322	CLOSE FOCUS STOP	2.39
A3144422	EYECUP	10.18
A3187392	CASE, CARRYING	9.46
A3187430	COMPASS	97.79
A3187441	LENS ASSEMBLY, INFRARED SPOT/FLOOD	19.83
A3256343	BATTERY HOUSING ASSY	175.74
A3256345	EYEGUARD	16.22
A3256347	HEADMOUNT/HELMET MOUNT ADAPTER, PVS-14	61.29
A3256348	SMALL ARMS MOUNTING ADAPTER	88.32
A3256351	VARIABLE GAIN KNOB F6015 DUAL BATTERY HOUSING	3.97
A3256353	DEMIST SHIELD ASSY PVS-14 SERIES	5.10
A3256354	EYECUP ADAPTER	5.82
A3256360	LOCK RING, OBJECTIVE	5.73
A3256368	HELMET MOUNT ASSY, PASGT, PVS7/14	177.66
A3256391	LENS ASSY, 3X W/ACCESSORIES	536.26
A3264350	CASE ASSEMBLY, SHIPPING & STORAGE	53.82
A3260911	CLIP-ON POWER SUPPLY	81.12
A3297307	KIT, FRONT BRACKET ASSY, ACH/CVC	40.56
A3297309	BATTERY HOUSING ASSY SINGLE BATTERY (PVS-14) W/VARIABLE GAIN KNOB	288.40

Item	Description	GSA
<b>Gen III Night Vision Goggles</b>		
<b>MVC-51010</b>	MONOCAM NEPVS-14 DIGITAL CAMERA KIT. INCLUDES: MONOCAM™ CAMERA ADAPTER, RUBBER BUSHING, OLYMPUS STYLUS TOUGH-8000 CAMERA AND ITT NIGHT ENFORCER NEPVS14-17 NIGHT VISION MONOCULAR.	3,860.57
<b>ITTE-NEPVS14-17FRK</b>	GEN 3 PINNACLE FIRST RESPONDER KIT:INCLUDES: NEPVS14-17 NIGHT VISION MONOCULAR, HEAD MOUNT ASSEMBLY, HEAD/HELMET MOUNT ADAPTER, EYE CUP, 3X MILITARY MAGNIFIER LENS, MAGNETIC COMPASS, (2) IR LASER STICKS-DUAL FUNCTION, SKB MIL-STANDARD INJECTION MOLD CASE, SOFT CASE, SHOULDER STRAP, LENS PAPER, BROW PAD, DAY LIGHT FILTER, DIPTER LENS CAP SACRIFICIAL WINDOW, DEMIST SHIELD, (2) AA BATTERIES, AND OPERATORS MANUAL.	3,977.26
<b>ITTE-NEPVS14-17DKM</b>	GEN 3 PINNACLE DELTA KIT (MICH). INCLUDES: NEPVS14-17 NIGHT VISION MONOCULAR, HEAD MOUNT ASSEMBLY, HEAD/HELMET MOUNT ADAPTER, MICH HELMET MOUNT ASSEMBLY, EYE CUP, 3X MILITARY MAGNIFIER LENS, MAGNETIC COMPASS, WEAPONS MOUNT, SHUTTERED EYEGUARD, SKB MIL-STANDARD INJECTION MOLD CASE, SOFT CASE, SHOULDER STRAP, LENS PAPER, BROW PAD, DAY LIGHT FILTER, DIPTER LENS CAP SACRIFICIAL WINDOW, DEMIST SHIELD, (2) AA BATTERIES, AND OPERATORS MANUAL.	4,165.17
<b>ITTE-NEPVS14-17DKP</b>	GEN 3 PINNACLE DELTA KIT (PASGT). INCLUDES: NEPVS14-17 NIGHT VISION MONOCULAR, HEAD MOUNT ASSEMBLY, HEAD/HELMET MOUNT ADAPTER, PASGT HELMET MOUNT ASSEMBLY, EYE CUP, 3X MILITARY MAGNIFIER LENS, MAGNETIC COMPASS, WEAPONS MOUNT, SHUTTERED EYEGUARD, SKB MIL-STANDARD INJECTION MOLD CASE, SOFT CASE, SHOULDER STRAP, LENS PAPER, BROW PAD, DAY LIGHT FILTER, DIPTER LENS CAP SACRIFICIAL WINDOW, DEMIST SHIELD, (2) AA BATTERIES, AND OPERATORS MANUAL.	4,165.17



169 Tequesta Dr. #24E  
Tequesta, FL 33469  
561-743-8180  
[sales@maxavision.net](mailto:sales@maxavision.net)  
[www.maxavision.net](http://www.maxavision.net)

Item	Description	GSA
<b>Night Vision - Monoculars</b>		
<b>AIPVS14P+</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	3,600.57
<b>AIPVS14P+-WM</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD AND WEAPON MOUNT.	3,780.83

Item	Description	GSA
<b>Night Vision - Monoculars Continued</b>		
<b>AIPVS14P+-DR</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD, WEAPON MOUNT, HELMET MOUNT, LIF (GOVT SALES ONLY), COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	4,682.09
<b>AIPVS14P</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	3,510.45
<b>AIPVS14P-WM</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD AND WEAPON MOUNT.	3,691.70
<b>AIPVS14P-DR</b>	AI/PVS-14 WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD, WEAPON MOUNT, HELMET MOUNT, LIF (GOVT SALES ONLY), COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	4,591.97
<b>Night Vision - Goggles</b>		
<b>AIPVS7P+</b>	AI/PVS-7D WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	3,600.57
<b>AIPVS7P+-DR</b>	AI/PVS-7D WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, HELMET MOUNT, LIF (GOVT SALES ONLY), COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,870.95
<b>AIPVS7P</b>	AI/PVS-7D WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	3,510.45
<b>AIPVS7P-DR</b>	AI/PVS-7D WITH ITT PINNACLE IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, HELMET MOUNT, LIF (GOVT SALES ONLY), COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,780.83

Item	Description	GSA
<b>Night Vision - Goggles Continued</b>		
<b>AINVG15P+</b>	AI/NVG-15 (BNVD) WITH ITT PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, AND DOVETAIL MOUNTING ADAPTER.	8,106.92
<b>Night Vision - Dual Tube Systems</b>		
<b>AINVG15P+-DR</b>	AI/NVG-15 (BNVD) WITH ITT PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, DOVETAIL MOUNTING ADAPTER, HELMET MOUNT, LIFs (GOVT SALES ONLY), PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	8,377.30
<b>AINVG15P</b>	AI/NVG-15 (BNVD) WITH ITT PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, AND DOVETAIL MOUNTING ADAPTER.	7,656.29
<b>AINVG15P-DR</b>	AI/NVG-15 (BNVD) WITH ITT PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MI. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, DOVETAIL MOUNTING ADAPTER, HELMET MOUNT, LIFs (GOVT SALES ONLY), PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	7,926.67
<b>AINVG15PG+</b>	AI/NVG-15G (BNVD) WITH ITT MANUAL GAIN ADJUSTABLE PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15G, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, AND DOVETAIL MOUNTING ADAPTER.	8,918.07
<b>AINVG15PG+-DR</b>	AI/NVG-15G (BNVD) WITH ITT MANUAL GAIN ADJUSTABLE PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 2000 MIN, EBI: 2.5 MAX, SIGNAL TO NOISE RATIO: 22.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15G, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, BATTERIES, DOVETAIL MOUNTING ADAPTER, HELMET MOUNT, LIFs (GOVT SALES ONLY), PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	9,368.70

Item	Description	GSA
<b>Night Vision - Dual Tube Systems Continued</b>		
<b>AINVG15PG</b>	AI/NVG-15G (BNVD) WITH ITT MANUAL GAIN ADJUSTABLE PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MIN. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15G, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, AND DOVETAIL MOUNTING ADAPTER.	8,467.43
<b>AINVG15PG-DR</b>	AI/NVG-15G (BNVD) WITH ITT MANUAL GAIN ADJUSTABLE PINNACLE IMAGE INTENSIFIERS WITH THE FOLLOWING SPECIFICATIONS - PHOTOCATHODE RESPONSE: 1750 MIN, EBI: 4.5 MAX, SIGNAL TO NOISE RATIO: 19.0 MIN, RESOLUTION: 64 LP/MM MI. FORM/FIT/FUNCTION ALTERNATIVE TO PVS-15. INCLUDES: NVG-15G, SOFT CARRY CASE, 7D HEADMOUNT, OPERATOR MANUAL, LENS CAPS, NECK CORD, EYECUPS, DEMIST SHIELDS, SACRIFICIAL WINDOWS, IR SPOT/FLOOD LENS, BATTERIES, DOVETAIL MOUNTING ADAPTER, HELMET MOUNT, LIFs (GOVT SALES ONLY), PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	8,918.07
<b>Exportable Night Vision</b>		
<b>AI6015-CGTE</b>	AI/6015 WITH CGT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, RESOLUTION: 45-54 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, AND LAMINATED INSTRUCTION CARD.	2,996.73
<b>AI6015-CGTE-WM</b>	AI/6015 WITH CGT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, RESOLUTION: 45-54 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD AND WEAPON MOUNT.	3,086.85
<b>AI6015-CTGE1250-DR</b>	AI/6015 WITH CGT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, RESOLUTION: 45-54 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD, WEAPON MOUNT, HELMET MOUNT, COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,537.48
<b>AI6015-HPTE1250</b>	AI/6015 WITH HPT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, SIGNAL TO NOISE RATIO: 16-20, RESOLUTION: 54-64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, AND LAMINATED INSTRUCTION CARD.	3,109.39
<b>AI6015-HPTE1250-WM</b>	AI/6015 WITH HPT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, SIGNAL TO NOISE RATIO: 16-20, RESOLUTION: 54-64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD AND WEAPON MOUNT.	3,199.51
<b>AI6015-HTPE1250-DR</b>	AI/6015 WITH HPT IMAGE INTENSIFIER WITH THE FOLLOWING SPECIFICATIONS - FOM < 1250, SIGNAL TO NOISE RATIO: 16-20, RESOLUTION: 54-64 LP/MM MIN. INCLUDES: SINGLE BATT HSG, HEADMOUNT, SAC WIND, DEMIST, EYECUP, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, SHUTTERED EYEGUARD, WEAPON MOUNT, HELMET MOUNT, COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,740.27
<b>AIPVS7-HPTE1250</b>	AI/PVS-7B WITH HPT IMAGE INTENSIFIER WITH FOM < 1250, S/N RATIO 16-20, AND RESOLUTION 54-66 LP/MM. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	2,985.46

Item	Description	GSA
<b>Exportable Night Vision Continued</b>		
AIPVS7-HPTE1250-DR	AI/PVS-7B WITH HPT IMAGE INTENSIFIER WITH FOM < 1250, S/N RATIO 16-20, AND RESOLUTION 54-66 LP/MM. INCLUDES: PVS-7D, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, MILITARY OPERATIONS MANUAL, HELMET MOUNT, COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,289.64
AIPVS7-CGTE	AI/PVS-7B WITH CGT IMAGE INTENSIFIER WITH FOM < 1250 AND RESOLUTION 45-54 LP/MM. INCLUDES: PVS-7B, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL.	2,793.94
AIPVS7-CGTE-DR	AI/PVS-7B WITH CGT IMAGE INTENSIFIER WITH FOM < 1250 AND RESOLUTION 45-54 LP/MM. INCLUDES: PVS-7B, HEADMOUNT, SAC WIND, DEMIST, EYECUPS, LENS CAP, NECKCORD, SOFT CASE, AND MILITARY OPERATIONS MANUAL, HELMET MOUNT, COMPASS, PHX JR IR BEACON, GLOTAPE KIT, AND HARD CARRY/STORAGE CASE.	3,064.32

MaxaVision Technologies  
169 Tequesta Dr. #24E  
Tequesta, FL 33469  
561-743-8180  
sales@maxavision.net  
www.maxavision.net



Item	Description	GSA
<b>Tactical Night Vision - Monoculars</b>		
GT14CX	GT-14 Night Vision Monocular (Gen 2+)	3,301.35
GT14EX	GT-14 Night Vision Monocular (Gen 3, FOM <1250)	3,604.18
GT14DL2	Kit: GT-14 Night Vision Monocular (Gen 3 Delta), Head Mount and soft carry case	2,892.62
GT14DL3	Kit: GT-14 Night Vision Monocular (Gen 3 Delta), Head Mount, Helmet Mount, & soft carry case	2,981.19
GT14DL4	Kit: GT-14 Night Vision Monocular (Gen 3 Delta), Type 'B' (ITT Config.) Head Mount, & soft carry case	2,903.53
GT14A2	Kit: GT-14 Night Vision Monocular (Gen 3 Select Alpha with tube data sheet), Head Mount & soft carry case	3,334.70
GT14A3	Kit: GT-14 Night Vision Monocular (Gen 3 Select Alpha with tube data sheet), Head Mount, Helmet Mount and soft carry case	3,469.89
PVS14-DL	Kit: PVS-14 Night Vision Monocular (Gen 3), Head/helmet mount adapter, Type 'B' (ITT Config) head mount, sacrificial window, eyecup, lens cap, neckcord, demist shields, soft carrying case, battery & manual	3,505.94
<b>Night Vision - Goggles</b>		
PVS7-EX	PVS-7 Night Vision Goggle with Generation 3 FOM<1250 image intensifier tube. Includes head mount & soft carry case	3,875.46
PVS7-7CX	PVS-7 Night Vision Goggle with Generation 2 FOM<1250 image intensifier tube. Includes head mount and & carry case	3,514.98
PVS7-DL	Kit: PVS-7 Night Vision Monocular (Generation 3), Head/helmet mount adapter, Type 'B' (ITT Config) head mount, sacrificial window, eyecup, lens cap, neckcord, demist shields, soft carrying case, battery & manual	3,505.94
PVS7-2HD	PVS-7 Night Vision Goggle (Generation 2+) Includes: unit, headmount (type 'C'), tube data sheet, neckcord, lens cleaning paper & manual	3,514.98
<b>Night Vision - Dual Tube Systems</b>		
G15DL2	Kit: G15 Night Vision Binocular System (Generation 3 Delta), Head Mount, & soft carry case	6,263.83
G15DL3	Kit: G15 Night Vision Binocular System (Generation 3 Delta), Head Mount (GT14HMC), soft carry case and Hard Shipping/Storage Case (GT14HC)	6,480.13
G15DL4	Kit: G15 Night Vision Binocular System (Generation 3 Delta), Head Mount, Helmet Mount, soft carry case	6,444.08
G15A2	Kit: G15 Night Vision Binocular System (Generation 3 Select Alpha with tube data sheet), Head Mount, and soft carry case	6,534.21
G15A3	Kit: G15 Night Vision Binocular System (Generation 3 Select Alpha with tube data sheet), Head Mount, soft carry case and Hard Shipping/Storage Case	6,624.33
G15A4	Kit: G15 Night Vision Binocular System (Generation 3 Select Alpha with tube data sheet), Head Mount, Helmet Mount and soft carry case	6,831.63

Item	Description	GSA
<b>Night Vision - Weapon Sights</b>		
PVS22-P	AN/PVS-22 (Gen 3 Pinnacle). Includes: unit, soft carry case, flip-up objective lens cap, picatinny rail mount, lens cleaning kit, manual & batteries.	9,238.01
NVBNS-DL BNS-22	Gen 3 Boresighted Night Sight. Includes unit, soft carry case, flip-up objective lens cap, Picatinny rail mount, lens cleaning kit, operations manual & batteries.	8,888.78
<b>Night Vision - Weapon Sights</b>		
NVBNS-P BNS-22	Gen 3 PINNACLE Boresighted Night Sight. Includes unit, soft carry case, flip-up objective lens cap, Picatinny rail mount, lens cleaning kit, operations manual & batteries.	9,238.01
<b>Accessories</b>		
GT143X	3x Afocal Attachment Lens (Compatible: GT-14, PVS-14, PVS-7, G-15)	193.72
GT145X	5x Afocal Attachment Lens (Compatible: GT-14, PVS-14, PVS-7, G-15)	434.37
GT14HLMC	Helmet Mount for GT-14 & G15 (Commercial). Allows attachment of the monocular to the PASGT type helmet. Flip-up design.	162.18
GT14HLM	Helmet Mount for GT-14 & G15 (Mil. Spec). Allows attachment of the GT-14 monocular to the PASGT type helmet. Flip-up design.	225.28
GT14HM	Head Mount for GT-14 (Mil. Spec.) & G15, PVS-7 style	112.66
GT14RM	Rifle Mount for GT-14 & Night Strike. Allows for correct optical alignment when GT-14 or Night Strike are used in conjunction with Aimpoint or EOTech sights.	171.20
GT14EG	Eyeguard. Provides operator protection from recoil and prevents light scatter from the image intensifier tube.	40.51
GT14DM	Dual Mount Adapter to connect 2 GT-14 or 2 Night Strike Monoculars together to make a binocular system	775.09



**MaxaVision Technologies**  
**169 Tequesta Dr. #24E**  
**Tequesta, FL 33469**  
**561-743-8180**  
**sales@maxavision.net**  
**www.maxavision.net**

Item	Description	GSA
<b>Maxa Beam Searchlight Packages: (All Packages Include Manual &amp; Focusing Tool)</b>		
MBPKG-A	<b>Rapid Deployment Maxa Beam Package</b>	2609.18
	MBS-410 Maxa Beam Searchlight	
	MBA-8208 8 in. Straight Power Cord	
	MBP-1307 Li-Ion Battery with Built-In Charger	
	MBP-5003 AC Adapter	
	MBP-5230 Vehicle Adapter, Battery	
	MBA-7100 Vehicle Adapter, Light	
	MBA-6005 Battery Shoulder Strap	
MBA-6200 Small Storage Case		
MBPKG-B	<b>Basic Maxa Beam Package</b>	2,036.87
	MBS-410 Maxa Beam Searchlight	
	MBA-8105 5 FT. Power Coil Cord	
	MBP-1207 Ni-Cad Rechargeable Battery	
	MBA-6005 Battery Shoulder Strap	
MBP-3100 Drop-In Trickle Charger		
MBPKG-B-DOD	<b>Basic Maxa Beam Package for military with MBP-5200 charger</b>	2,428.92
	Same as MBPKG-B except replace MBP-3100 with MBP-5200 Smart Charger w/AC Adapter	
MBPKG-C	<b>Search &amp; Rescue Maxa Beam Package</b>	3,690.70
	MBS-410 Maxa Beam Searchlight	
	MBA-8105 5 FT. Power Coil Cord	
	MBP-1207 Ni-Cad Rechargeable Battery (2)	
	MBP-5200-M Multi-Voltage Conditioning Charger	
	MBA-1500 Fog/Smoke Filter	
	MBA-3015 Collimating Lens	
	MBA-6100 Filter Pouch	
MBA-6005 Battery Shoulder Strap		
MBA-6300 Large Storage Case (with custom die-cut foam)		

Item	Description	GSA
<b>Maxa Beam Searchlight Packages: (All Packages Include Manual &amp; Focusing Tool) Continued</b>		
<b>MBPKG-D</b>	<b>Deluxe Maxa Beam Package with MBS-410 Searchlight</b>	3,510.45
	MBS-410 Maxa Beam Searchlight	
	MBA-8105 5 FT. Power Coil Cord	
	MBP-1207 Ni-Cad Rechargeable Battery (2)	
	MBA-6005 Battery Shoulder Strap (2)	
	MBP-5200-M Multi-Voltage Conditioning Charger	
	MBA-1850 850nm Covert IR Filter	
	MBA-6100 Filter Pouch	
<b>MBPKG-D-R</b>	<b>Deluxe Maxa Beam Package with MBS-450 Remote Wired Searchlight</b>	3,555.51
	MBS-450 Maxa Beam Remote Wired Searchlight	
	MBA-8105 5 FT. Power Coil Cord	
	MBP-1207 Ni-Cad Rechargeable Battery (2)	
	MBP-5200-M Multi-Voltage Conditioning Charger	
	MBA-1850 850nm Covert IR Filter	
	MBA-6100 Filter Pouch	
	MBA-6005 Battery Shoulder Strap (2)	
<b>MBPKG-F</b>	<b>Force Protection Package with MBS-410 Searchlight</b>	5,403.11
	MBS-410 Maxa Beam Searchlight	
	MBA-8105 5 FT. Power Coil Cord (2)	
	MBP-1207 Ni-Cad Rechargeable Battery (3)	
	MBA-6005 Battery Shoulder Strap (3)	
	MBP-5200-M Multi-Voltage Conditioning Charger (2)	
	MBA-2005 Protective Lens	
	MBA-1850 850nm Covert IR Filter	
	MBA-1500 Fog/Smoke Filter	
	MBA-6100 Filter Pouch (2)	
	MBA-2400N Maintenance Kit	
	MBA-100-VFP Instructional DVD	
	MBA-6400 Large Wheeled Storage Case (with custom die-cut foam)	
<b>MBPKG-F-V</b>	<b>Force Protection Package with MBS-410 Searchlight and Vertical Options</b>	5,538.30
	Same as MBPKG-F except with Vertical Options	
<b>MBPKG-R</b>	<b>Deployment Maxa beam Package with MBS-410 Searchlight</b>	2,861.53
	MBS-410 Maxa Beam Searchlight	
	MBA-8105 5 FT. Power Coil Cord (2)	
	MBP-1207 Ni-Cad Rechargeable Battery (3)	
	MBA-6005 Battery Shoulder Strap (3)	
	MBP-5200-M Multi-Voltage Conditioning Charger (2)	
	MBA-3600 Tripod Munt Plate	
	MBA-7100 12 V Vehicle Adapter	
MBA-6250 Medium Storage Case (with custom die-cut foam)		
<b>Individual Searchlights: (**Include 5' Coil Power Cord, Manual &amp; Focusing Tool)</b>		
<b>MBS-410</b>	75W Xenon Handheld Searchlight	1,580.69
<b>MBS-410-AY</b>	75W Xenon Handheld Searchlight w/enhanced candlepower & 'spyder' lens	2,160.88
<b>MBS-410-Y</b>	75W Xenon Handheld Searchlight w/reinforced 'spyder' front lens	1,696.73
<b>MBS-450</b>	75W Xenon Wired Remote Handheld Searchlight	1,624.82
<b>MBS-450-AY</b>	75W Xenon Wired Remote Handheld Searchlight w/enhanced candlepower &	2,205.01
<b>MBS-450-Y</b>	75W Xenon Wired Remote Handheld Searchlight w/reinforced 'spyder' front lens	1,740.86
<b>Rechargeable Battery Modules:</b>		
<b>MBP-1207</b>	7 AH Ni-Cad Battery Pack, Standard Size (Attachable to Searchlights)	356.91
<b>MBP-1207-V</b>	7 AH Ni-Cad Battery Pack w/Vertical Mount	377.72
<b>MBP-1307</b>	Lithium-Ion Battery with Built-In Charger (AC & DC Adapters sold separately)	579.19
<b>Chargers &amp; Power Options:</b>		
<b>MBA-7100</b>	Vehicle Power Adapter for powering searchlight directly from 12 VDC	60.05
<b>MBA-7200</b>	12V Power Connector (permanently installed 12 VDC receptacle) for searchlight	27.15
<b>MBA-7406</b>	24V NATO Adapter w/6 ft. Cord (for MBP-5200 or 5600 series chargers, MBP-	224.55
<b>MBA-7500</b>	Dual BA5590 Battery Adapter Cable for searchlight	352.02
<b>MBP-3100</b>	NiCad Only 120/220 VAC Drop-In Trickle Charger (for MBP-1207 only)	165.35

Item	Description	GSA
<b>Chargers &amp; Power Options Continued</b>		
MBP-3110	NiCad Only 120/220 VAC Plug-In Trickle Charger (for MBP-1207 only)	49.21
MBP-4000S	Direct Power Supply, 110/240v AC to 12v DC at 10 amps	274.54
MBP-4024-S	24 V to 12 V DC Direct Drive Converter, Standard	371.03
MBP-5003	3 Amp AC Power Adapter, 100-240 VAC 50/60Hz, for use with MBP-5200 Series	172.71
MBP-5010	10 Amp AC Power Supply, 100-240 VAC 50/60Hz, for use with MBP-5600 Series	278.72
MBP-5230	Vehicle Power Adapter for MBP-5200 Chargers or MBP-1307 Li-Ion Batteries	41.48
MBP-5630	Vehicle Power Adapter for MBP-5600 Chargers or MBP-1307 Li-Ion Batteries	59.34
MBP-5200	Multi-Voltage Smart Charger "Desk Top" model with 3 Amp 100-240 VAC 50/60Hz automatic sensing AC adapter (MBP-5003). Will charge battery from an AC source.	567.01
MBP-5200-M	Multi-Voltage Smart Charger "Mobile" model with 3 Amp 100-240 VAC 50/60Hz automatic sensing AC adapter (MBP-5003), fused vehicle adapter (MBP-5230), safety strap, and surface mounting brackets. Will charge battery on either an AC or a 11-36V DC source.	646.25
MBP-5200-M-V	Multi-Voltage Smart Charger "Mobile" model with 3 Amp 100-240 VAC 50/60Hz automatic sensing AC adapter (MBP-5003), fused vehicle adapter (MBP-5230), safety strap, and vertical mounting brackets. Will charge battery on either an AC or a 11-36V DC source. Must use MBP-1207-V battery when mounted vertically.	692.00
MBP-5600	Multi-Voltage Smart Charger / Power Supply "Desk Top" model with 10 Amp 100/240 VAC 50/60 Hz automatic sensing AC adapter (MBP-5010). Will run light or charge battery from an AC power source.	716.80
MBP-5600-M	Multi-Voltage Smart Charger / Power Supply "Mobile" model with 10 Amp 100/240 VAC 50/60 Hz automatic sensing AC adapter (MBP-5010), fused vehicle adapter (MBP-5630), safety strap, and surface mounting brackets. Will run light or charge battery on either an AC or a 11-36V DC source.	811.17
MBP-5600-M-V	Multi-Voltage Smart Charger / Power Supply "Mobile" model with 10 Amp 100/240 VAC 50/60 Hz automatic sensing AC adapter (MBP-5010), fused vehicle adapter (MBP-5630), safety strap, and vertical mounting brackets. Will run light or charge battery on either an AC or a 11-36V DC source.	844.81
MBP-5600-H-V	Multi-Voltage Smart Charger / Power Supply Humvee model with 24V NATO adapter (MBA-7406), safety strap and vertical mounting brackets. Will run light or charge battery from 24V DC. Must use MBP-1207-V model battery when mounted vertically.	751.32
<b>Filters:</b>		
MBA-1500	Amber Smoke / Fog Filter	98.84
MBA-1715	715nm Semi-Covert IR Filter	249.65
MBA-1850	850nm Covert IR Filter	388.10
MBA-1900	900nm Covert IR Filter	424.09
MBA-1950	950nm Covert IR Filter	442.44
MBA-2005	Protective Lens	52.92
MBA-2100	UV Filter	377.51
MBA-3000	Full Diffusion Filter	83.37
MBA-3015	Collimating Lens	390.12
MBA-3020	Peripheral Vision Filter	99.23
MBA-3075	Filter Stacking Adapter (includes installation on filter). Allows filter stacking.	57.81
<b>Maintenance Kits:</b>		
MBA-2400	Replacement Lamp Kit, Standard	414.36
MBA-2400-A	Replacement Lamp Kit for enhanced candlepower searchlight	511.98
MBA-2400N	Combination Lamp, Front Lens, Power Connector Replacement Kit	542.82
MBA-2410	Power Connector Replacement Kit (with four replacement connectors )	99.90
MBA-2420	Front Lens Replacement Kit	63.44
MBA-2420-Y	Front Lens Replacement Kit for reinforced 'Spyder' front lens	177.90
<b>Mounting Equipment:</b>		
MBA-3600	Searchlight Tripod Mount	52.35
MBA-3605	Searchlight Fixed Mount	65.62
MBA-3620	Uni-Clamp Positioning Head (Requires MBA-3600- not included)	22.37
MBA-3640	Marine Clamp (MBA-3600 included)	148.22
MBA-3660	Uni-Clamp Fluid Pan/Tilt Head (Requires MBA-3600- not included)	332.56

Item	Description	GSA
<b>Accessories:</b>		
MBA-6005	Deluxe Air-Cushioned Contoured Battery Shoulder Strap	21.49
MBA-6100	Filter Pouch	32.05
MBA-6200	Small Storage Case (with custom die-cut foam)	202.41
MBA-6250	Medium Storage Case (with custom die-cut foam)	232.43
MBA-6300	Large Storage Case (with custom die-cut foam)	271.71
MBA-6400	Large Wheeled Storage Case (with custom die-cut foam)	411.08
MBA-8105	5' Coil Power Cord	55.16
MBA-8110	10' Coil Power Cord	86.25
MBA-8208	8' Straight Power Cord	38.76
MBA-8210	10' Straight Power Cord*	58.77
MBA-8225	25' Straight Power Cord*	95.21
MBA-8250	50' Straight Power Cord*	360.97
MBA-8310	10' Remote Control Cable for MBA-8406 or -8425	57.74
MBA-8325	25' Remote Control Cable for MBA-8406 or -8425	72.52
MBA-8350	50' Remote Control Cable for MBA-8406 or -8425	96.48
MBA-8406	Wired Remote Control Handle with 6' Cable*	92.15
MBA-8425	Wired Remote Control Handle with 25' Cable*	110.61

MaxaVision Technologies  
169 Tequesta Dr. #24E  
Tequesta, FL 33469  
561-743-8180  
sales@maxavision.net  
www.maxavision.net



Item	Description	GSA
<b>Search Systems</b>		
WA-PSW-A9	<b>9ft Articulating Search System</b> <b>WM-4-MON</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> <b>AP-T9</b> 4' - 9' Articulating Telescoping Pole <b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens <b>BAT-2</b> Spare battery (in addition to battery in kit) <b>WUH</b> WalkAbout Universal Harness <b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	5,194.04
WA-PSW-A14	<b>14ft Articulating Search System</b> - same as WA-PSW14 except substitute the 14ft articulating pole AP-T14 for the 14ft gooseneck pole T-FNS-14	5,384.86
WA-PSW14	<b>14ft Search System</b> <b>WM-4-MON</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> <b>T-FNS-14</b> 5' - 14' Telescoping Pole <b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens <b>BAT-2</b> Spare battery (in addition to battery in kit) <b>WUH</b> WalkAbout Universal Harness <b>T-CASE</b> Single hard carry case for the all components (53"x17"x 6")	4,575.04
WA-PSW11	<b>11ft. Search Sstem (2 Cases)</b> <b>WM-4-MON</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> <b>T-FNS-11</b> 5' - 11' Telescoping Pole <b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens <b>BAT-2</b> Spare battery (in addition to battery in kit) <b>WUH</b> WalkAbout Universal Harness <b>W-CASE</b> Hard carry case (21" x 16" x 8") for WalkAbout, Camera and Chest Harness <b>S9-CASE</b> Soft carry case (54"L x 6") for W-FNS	3,811.76
WA-PSW-W	<b>5ft Search System (2 cases)</b> <b>WM-4-MON</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> <b>W-FNS</b> 5' Wand <b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens <b>BAT-2</b> Spare battery (in addition to battery in kit) <b>WUH</b> WalkAbout Universal Harness <b>W-CASE</b> Hard carry case (21" x 16" x 8") for WalkAbout, Camera and Chest Harness <b>S9-CASE</b> Soft carry case (54"L x 6") for W-FNS	3,574.40

Item	Description	GSA
<b>Search Systems Continued</b>		
WA-CBW	<b>Color Baton System</b>	2,857.65
	WM-4-MON WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	B-FNS 2' Baton	
	LLC-1.4 1.4" Illuminated Color Camera Head with 6mm lens	
	BAT-2 Spare battery (in addition to battery in kit)	
	WUH WalkAbout Universal Harness	
W-CASE Hard carry case (21" x 16" x 8") for WalkAbout, Camera and Chest		
<b>Vehicle Search Systems</b>		
WA-VSWD14	<b>14ft Deluxe Vehicle Search System</b>	7,628.16
	WM-4-MON WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	T-FNS-14 5' - 14' Telescoping Pole	
	B-FNS 2' Baton	
	UVIT Under Vehicle Inspection Trolley, includes RW Telescoping Rigid Wand	
	WPC-3.5 2.5" Illuminated Color Camera Head with wide angle 3.6mm lens	
	(2) LLC-1.4 1.4" Illuminated Color Camera Heads with 6mm lens	
	BAT-2 Spare battery (in addition to battery in kit)	
	WUH WalkAbout Universal Harness	
	V-CASE Single hard carry case for the all components (53"x17"x 6")	
WA-VSW14	<b>14ft Vehicle Search System</b>	6,385.50
	WM-4-MON WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	T-FNS-14 5' - 14' Telescoping Pole	
	UVIT Under Vehicle Inspection Trolley, included RW Telescoping Rigid Wand	
	LLC-1.4 1.4" Illuminated Color Camera Head with 6mm lens	
	WPC-3.5 2.5" Illuminated Color Camera Head with wide angle 3.6mm lens	
	BAT-2 Spare battery (in addition to battery in kit)	
	WUH WalkAbout Universal Harness	
	V-CASE Single hard carry case for the all components (53"x17"x 6")	
WA-VSC13	<b>13ft Compact Vehicle Search System</b>	7,963.26
	WM-4-MON WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	T-FNS-13 4' - 13' Telescoping Pole	
	UVIT Under Vehicle Inspection Trolley, included RW Telescoping Rigid Wand	
	(2) LLC-1.4 1.4" Illuminated Color Camera Heads with 6mm lens	
	WPC-3.5 2.5" Illuminated Color Camera Head with wide angle 3.6mm lens	
	BAT-2 Spare battery (in addition to battery in kit)	
	WUH WalkAbout Universal Harness	
VS-CASE Single hard carry case for the all components (38"x17"x 6")		
<b>Tactical Surveillance Systems</b>		
WS-TSW-A9	<b>9ft Articulating Tactical System</b>	6,055.06
	WM-LCD WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	WMW-BASE WalkAbout Base <sup>2</sup> including accessories	
	AP-T9 4' - 9' Articulating Telescoping Pole	
	R-FNS Right Angle Adapter for all Camera Extension Poles	
	WPC-3.5IR 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	BAT-2 Spare battery (in addition to battery in kit)	
	AAM Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch	
	A-CASE Single hard carry case for the all components (53"x17"x 6")	
WS-TSW-A9U	<b>9ft Ultra Articulating Tactical System</b> - same as WV-TSW-A9 except substitute the ULC-3.5IR for the WPC-3.5IR	6,911.42
WS-TSW-A14	<b>14ft Articulating Tactical System</b> - same as WV-TSW-A9 except substitute the 14ft articulating pole (AP-T14) for the 9ft articulating pole (AP-T9)	6,245.88
WS-TSW-A14U	<b>14ft Ultra Articulating Tactical System</b> - same as WV-TSW-A9 except substitute the 14ft articulating pole (AP-T14) for the 9ft articulating pole (AP-T9) and substitute the ULC-3.5IR for the WPC-3.5IR	7,102.25

Item	Description	GSA
<b>Tactical Surveillance Systems Continued</b>		
WS-TSW14	<b>14ft Tactical System</b>	5,431.40
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>WMW-BASE</b> WalkAbout Base <sup>2</sup> including accessories	
	<b>T-FNS-14</b> 5' - 14' Telescoping Pole	
	<b>R-FNS</b> Right Angle Adapter for all Camera Extension Poles	
	<b>WPC-3.5IR</b> 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any	
<b>T-CASE</b> Single hard carry case for the all components (53"x17"x 6")		
WS-TSW-A6	<b>6ft Articulating Backpack Tactical System</b>	5,575.68
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>WMW-BASE</b> WalkAbout Base <sup>2</sup> including accessories	
	<b>AP-T6</b> 2' 9" – 6' Articulating Telescoping Pole	
	<b>WPC-3.5IR</b> 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any	
	<b>B-CASE BLACK</b> Black backpack case for all components	
WS-TPS-A9	<b>9ft. Thermal Pole System</b>	10,234.49
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>WMW-BASE</b> WalkAbout Base <sup>2</sup> including accessories	
	<b>AP-T9</b> 4' – 9' Articulating Telescoping Pole	
	<b>THC-36</b> Compact Thermal Imaging Camera with 26 degree FOV	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
WT-TSW-A9	<b>9ft Articulating TandemView Tactical System</b>	7,288.41
	<b>VM</b> Video Monocle, mount and cable	
	<b>WM-R-KIT-LC</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>AP-T9</b> 4' – 9' Articulating Telescoping Pole	
	<b>R-FNS</b> Right Angle Adapter for all Camera Extension Poles	
	<b>WPC-3.5IR</b> 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones & headphone adapter cable in pouch.	
	<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
WT-TSW-A9U	<b>9ft. Ultra Articulating TandemView Tactical System - same as WV-TSW-A9</b>	8,149.42
WT-TSW-A14	<b>14ft. Articulating TandemView Tactical System - same as WV-TSW-A9 except</b>	7,479.23
WT-TSW-A14U	<b>14ft. Ultra Articulating TandemView Tactical System - same as WV-TSW-A14</b>	8,340.25
WT-TSW14	<b>14ft. TandemView Tactical System</b>	6,669.41
	<b>VM</b> Video Monocle, mount and cable	
	<b>WM-R-KIT-LC</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>T-FNS-14</b> 5' - 14' Telescoping Pole	
	<b>R-FNS</b> Right Angle Adapter for all Camera Extension Poles	
	<b>WPC-3.5IR</b> 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	
	<b>T-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
WT-TSW-A6	<b>6ft. Articulating TandemView Backpack Tactical System</b>	6,813.69
	<b>VM</b> Video Monocle, mount and cable	
	<b>WM-R-KIT-LC</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>AP-T6</b> 2' 9" – 6' Articulating Telescoping Pole	
	<b>WPC-3.5IR</b> 2.5" IR illuminated B&W Camera Head with wide angle 3.6mm lens	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any	
<b>B-CASE-BLK</b> Black backpack case for the all components		

Item	Description	GSA
<b>Tactical Surveillance Systems Continued</b>		
WT-TPS-A9 <sup>1</sup>	<b>9ft. Thermal Pole System</b>	11,472.49
	<b>VM</b> Video Monocle, including mounting arm and cable	
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>WMW-BASE</b> WalkAbout Base <sup>2</sup> including accessories	
	<b>AP-T9</b> 4' – 9' Articulating Telescoping Pole	
	<b>THC-36</b> Compact Thermal Imaging Camera with 26 degree FOV	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")		
<b>Rescue Systems</b>		
WS-RS-A9	<b>9ft Articulating Rescue System</b>	6,055.06
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> with WMW-BASE WalkAbout Base	
	<b>AP-T9</b> 4' – 9' Articulating Telescoping Pole	
	<b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens	
	<b>D-BAT</b> 'D' cell battery pack, less batteries	
	<b>WUH</b> WalkABout Universal Harness	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extention Pole and any Camera Head; Includes headphones and headphone	
	<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
WS-RS-A9T	<b>9ft. Articulating Rescue System with two-way communication</b> - Same as the WS-RS-A9, except substitute the AAM-TB for the AAM	6,576.32
WS-RS-A14	<b>14ft Articulating Rescue System</b> - same as WA-RW-A9 except substitute the 14ft articulating pole AP-T14 for the 9ft articulating pole AP-T9	6,246.37
WS-RS-A14T	<b>14ft. Articulating Rescue System with two-way communication</b> - same as the WS-RS-A14, except substitute the AAM-TB for the AAM	6,767.14
WS-RS-A6	<b>6ft Articulating Backpack Rescue System</b>	5,864.24
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> with WMW-BASE WalkAbout Base	
	<b>AP-T6</b> 9"- 6' Articulating Telescoping Pole	
	<b>LLC-1.4</b> 1.4" Illuminated Color Camera Head with 6mm lens	
	<b>D-BAT</b> 'D' cell battery pack, less batteries	
	<b>WUH</b> WalkABout Universal Harness	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extention Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	
<b>B-CASE-BLK</b> Black backpack case for the all components		
<b>Task Force Rescue Systems</b>		
WS-TFRS	<b>Task Force Rescue System</b>	8,707.93
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> with WMW-BASE WalkAbout Base	
	<b>AP-T9</b> 4' – 9' Articulating Telescoping Pole	
	<b>AP-F3</b> 3' Fixed Length Articulating Pole	
	<b>(2) LLC-1.4</b> 1.4" Illuminated Color Camera Heads with 6mm lens	
	<b>(2) D-BAT</b> 'D' cell battery packs, less batteries	
	<b>WUH</b> WalkABout Universal Harness	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extention Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	
<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")		
WS-TFRS/ THC-50D	<b>Thermal Task Force Rescue System</b> - same as the WS-TFRS except add the THC-50 Dual Mode Thermal Camera	20,813.39
WS-TFRST	<b>Task Force Rescue System with two-way communication</b> - same as the WS-TFRS, except substitute the AAM-TB for the AAM	9,229.19

Item	Description	GSA
<b>Fire Extension Systems</b>		
WA-FES	<b>Fire Extension System</b>	4,765.86
	<b>WM-4-MON</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>RW-8</b> 3.5'-8' Telescoping Rigid Wand	
	<b>RW-FNS</b> 1' Flexible extension for the Rigid Wand	
	<b>WPC-3.5IR-16</b> 2.5" IR Illuminated BW Camera Head with 16mm lens	
	<b>R-FNS</b> Right Angle adapter for the Rigid Wand	
	<b>VPC-10</b> 7.5' extension cable for the RW-FNS	
	<b>WUH</b> WalkAbout Universal Harness	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
<b>N-CASE</b> Single hard carry case for the all components (38"x17"x 6")		
WS-FESD	<b>Deluxe Fire Extension System</b> - same as the WA-FES except add the THC-50D Thermal Camera	15,879.98
<b>First Responder System</b>		
WA-FRS-A9	<b>First Responder System</b>	8,363.52
	<b>WM-4</b> WalkAbout™ II 5" LCD Kit <sup>2</sup>	
	<b>AP-T9</b> 4'-9' Articulating Telescoping Pole	
	<b>B-FNS</b> 2' Baton	
	<b>R-FNS</b> Right Angle adapter for the Rigid Wand	
	<b>LLC-1.4</b> 1.4" Illuminated Color Camera Headwith 6mm lens	
	<b>ULC-3.5IR</b> IR Illuminated Ultra Low Light BW camera with 3.6mm lens	
	<b>D-BAT</b> 'D' cell battery pack, less batteries	
	<b>WUH</b> WalkAbout Universal Harness	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	
	<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
<b>Detect, Deter, Search and Surveillance Systems</b>		
WS-DSS	<b>Detect, Deter, Search and Surveillance System</b>	9,508.44
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> with WMW-BASE WalkAbout Base	
	<b>AP-T9</b> 4'-9' Articulating Telescoping Pole	
	<b>T-FNS-14</b> 5'-14' Telescoping Pole	
	<b>B-FNS</b> 2' Baton	
	<b>R-FNS</b> Right Angle adapter for the Rigid Wand	
	<b>LLC-1.4</b> 1.4" Illuminated Color Camera Headwith 6mm lens	
	<b>ULC-3.5IR</b> IR Illuminated Ultra Low Light BW camera with 3.6mm lens	
	<b>D-BAT</b> 'D' cell battery pack, less batteries	
	<b>WUH</b> WalkAbout Universal Harness	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	
	<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")	
WS-TDDSS	<b>Thermal Detect, Deter, Search and Surveillance System</b>	16,452.44
	<b>WM-LCD</b> WalkAbout™ II 5" LCD Kit <sup>2</sup> with WMW-BASE WalkAbout Base	
	<b>AP-T9</b> 4'-9' Articulating Telescoping Pole	
	<b>B-FNS</b> 2' Baton	
	<b>R-FNS</b> Right Angle adapter for the Rigid Wand	
	<b>LLC-1.4</b> 1.4" Illuminated Color Camera Headwith 6mm lens	
	<b>THC-50D</b> ir Dual Mode Thermal Imaging Camera	
	<b>D-BAT</b> 'D' cell battery pack, less batteries	
	<b>WUH</b> WalkAbout Universal Harness	
	<b>BAT-2</b> Spare battery (in addition to battery in kit)	
	<b>AAM</b> Audio Adapter - high gain microphone & amp which connects between any	
<b>A-CASE</b> Single hard carry case for the all components (53"x17"x 6")		

Item	Description	GSA
<b>Illuminated Color Cameras</b>		
LLC-1.4	Low light camera, color, waterproof to 100 ft. Depth, 1.6" dia, 2.8" long, 9 white LEDs, 6mm lens, 59 def FOV	949.44
WPC-3.5	Waterproof Camera, color, 2.5" dia., 2.3" long, 45 white LEDs, 3.6mm lens, 92 deg. FOV	949.44
WPC-2.5Z	Waterproof zoom camera, color, 2.5" dia, 4" long, 24 white LEDs, 1-X zoom lens. Requires the Zoom Control Box (ZCB)	1,763.92
ZCB	Zoom Control Box, contains the zoom in/out controls for the zoom camera; works with any pole	279.25
WPC-2.5ZCB	Combined Zoom Camera (WPC-2.5Z) and Zoom Control Box (ZCB)	2,043.17
<b>IR Illuminated BW Cameras</b>		
WPC-3.5IR	Waterproof Camera, B&W 2.5" dia., 2.3" long, 45 IR LEDs, 3.6mm lens, 92 deg. FOV	949.44
ULC-3.5IR	Waterproof Ultra Low Light Camera, B&W, 2.5" dia, 2.5" long, 16 IR LEDs, 3.6mm lens, 92 deg FOV	1,805.81
<b>Thermal Camera</b>		
THC-36	Compact Thermal Camera, 2.5" x 2.5" x 3.7", 36 deg FOV	6,283.12
<b>Audio Options</b>		
AAM	Audio Adapter - high gain microphone & amp which connects between any Camera Extension Pole and any Camera Head; Includes headphones and headphone adapter cable in pouch.	525.92
AAM-TB	Audio Adapter with two-way communication - high gain microphone & speaker module with connects between any Pole and any Camera. Also includes headphones with microphone and "push to talk" switch. Supplied in pouch.	1,042.53
<b>Articulating Extension Poles</b>		
AP-T20	6'-20' Telescoping Articulating Pole, 6 sections, with soft case (S20-CASE), less camera	2,378.27
AP-T14	4'-14' Telescoping Articulating Pole, 6 sections, less case, less camera (stores in T-CASE)	1,903.55
AP-T11	4'-11' Telescoping Articulating Pole, 4 section, less case, less camera (stores in A-CASE)	1,763.92
AP-T9	4'-9' Telescoping Articulating Pole, 3 sections, less case, less camera (stores in A-CASE)	1,670.84
AP-T6	2'9"-6' Telescoping Articulating Pole, 6 sections, less case, less camera (stores in B-CASE)	1,805.81
AP-F3	3' Fixed Length Telescoping Articulating Pole, less case, less camera (stores in N-CASE)	1,526.57
<b>Extension Poles</b>		
T-FNS-20	6'-20' Telescoping Pole, with 3 internal aluminum sections, an outer fiberglass section and 1 ft. flexible end, includes soft case (S20-CASE), less camera head	1,521.91
T-FNS-18	6'-18' Telescoping Pole with 1 ft. flexible end, 4 fiberglass sections, includes soft case (S20-CASE), less camera head	1,382.28
T-FNS-14	5'-14' Telescoping Pole with 1ft flexible end, 4 sections, less case, less camera head.	1,051.84
T-FNS-13	4'-13' Telescoping Pole, 5 internal aluminum sections, an outer fiberglass section and 1ft flexible end, less camera head (stores in N-CASE or VS-CASE)	1,191.46
T-FNS-11	5'-11' Telescoping Pole with 1ft flexible end, 3 sections, less camera head, (stores in V-CASE, A-CASE or T-CASE)	907.56
T-FNS-9	4'-9' Telescoping Pole with 1ft flexible end, 4 sections, less case, less camera head (stores in N-CASE)	949.44
T-FNS-7	3.5'-7' Telescoping Pole with 1ft flexible end, 4 sections, less case, less camera head (stores in B-CASE)	949.44
T-FNS-5	4'-5-5' Telescoping Pole with 1ft flexible end, 2 sections, less case, less camera head (stores in N-CASE)	740.01
W-FNS	5ft Wand with 1ft flexible end, less case, less camera head (stores in V-CASE, A-CASE or T-CASE)	670.20

Item	Description	GSA
<b>Extension Poles Continued</b>		
B-FNS	2ft Baton with 1ft flexible end, less case, less camera head, stores in WalkAbout case	381.64
RW-FNS	1ft Flexible with 1ft rigid pole for use with the Rigid Wand (RW or RW-8), less case, less camera head. Can be used like a Baton with VPC-10 cable.	335.10
<b>Under Vehicle Inspection Trolley</b>		
RW	4' - 6' 6" Telescoping Rigid Wand (no flexible end), 2 sections, less case, less Camera Head (stores in V-CASE, A-CASE or T-CASE)	572.46
RW-8	3.5' - 8' Telescoping Rigid Wand (no flexible end), 3 sections, less case, less Camera Head (stores in VS-CASE or N-CASE)	763.28
UVIT	Under Vehicle Inspection Trolley, less Camera Head, includes RW Telescoping Rigid Wand and U-CASE hard carry case for UVIT base, does not include carry case for RW	1,233.35
<b>Accessories</b>		
T-HDL	Removeable right angle mounted handle for the T-FNS-11 or T-FNS-14	69.82
R-FNS	Right Angle Adapter for between any Camera Extension Pole & Camera Head	186.17
<b>Cases</b>		
A-CASE	Hard carry case (with foam) to hold an Articulating Pole (AP-T9) System with accessories, measures 53"x17"x 6"	470.07
B-CASE-BLK	Soft black backpack carry case with foam inserts, holds WalkAbout, T-FNS-7 and accessories, measures 36"x15"x 4"	214.09
F-CASE	Hard plastic case (with foam) for the Fiberscope or Videoscope Kit, measures 21"x16"x8"	186.17
N-CASE	Hard carry case (with foam) to hold Fire Officer or Patrol Officer System, with accessories, measures 38"x17"x 6"	376.99
S6-CASE	3 ft. Black soft carry case, holds either the T-FNS-13, T-FNS-9, UDC-Pole or the RW-8, measures 36"x8"x2"	121.00
S9-CASE	Black soft carry case, holds either the T-FNS-14, T-FNS-11 Pole or the W-FNS, measures 54"x8"x 2"	121.00
T-CASE	Hard carry case (with foam) to hold a Tactical Kit with accessories, measures 53"x17"x 6"	470.07
U-CASE	Hard plastic case (with foam) for the UVIT Base, measures 21"x16"x 8"	186.17
V-CASE	Hard carry case (with foam) to hold a Vehicle System with accessories, measures 53"x17"x 6"	470.07
VS-CASE	Hard carry case (with foam) to hold a Videoscope System with accessories, measures 38"x17"x 6"	376.99
W-CASE	Hard plastic case (with foam) for the WalkAbout, also stores Baton, up to 3 camera heads and accessories, measures 21"x16"x 8"	186.17
<b>Camera Cables</b>		
RR-330	Rescue Reel with 330 ft waterproof low loss video cable, weatherproof reel, includes separate 10' coil cord to connect the reel to a display and carry case, less camera. Operates while winding or unwinding reel.	2,187.45
RR-330C	Same as RR-330 Rescue Reel, except includes WPC-3.5 high resolution, low light, illuminated, wide angle color camera	2,857.65
RR-150	Rescue Reel with 150 ft waterproof low loss video cable, weatherproof reel, includes separate 10' coil cord to connect the reel to a display and carry case, less camera. Operates while winding or unwinding reel.	1,712.73
RR-150C	Same as RR-150 Rescue Reel, except includes WPC-3.5 high resolution, low light, illuminated, wide angle color camera.	2,378.27
C-LINK-50	50' Camera Link, cable to connect WalkAbout to 2nd WalkAbout or WPD-15.	232.71
CEXT-50	50' Camera extension cable.	232.71
DC-RCA	Adapter cable to convert any Camera Extension Pole or Video Microscope to an RCA plug and DC jack. Wall mount power supply included.	67.74
<b>Portable Display Options</b>		
WM-4-KIT	WalkAbout™ II 5" LCD Kit, includes battery, charger, charger power supply, sunshade and manual in W-CASE hard carry case.	2,827.12
WM-4-KIT-LC	Same as WM-4-KIT, except less case	2,336.39

Item	Description	GSA
<b>Portable Display Options Continued</b>		
WM-4-RM-KIT	Removable Monitor WalkAbout™ II 5" LCD Kit, includes battery, charger, charger power supply, sunshade and manual in W-CASE hard carry case.	2,552.56
WM-4-RM-KIT-LC	Same as WM-4-RM-KIT, except less case.	2,336.39
WM-LCD	WalkAbout™ II 5" LCD Monitor only, to be used with WalkAbout Base (WMW-BASE), not included	1,233.35
WMW-BASE	WalkAbout Base only, powers either the WalkAbout Monitor (WM-LCD) or the Video Monocle (VM)	763.28
VM	Helmet mountable Video Monocle for complete stealth. Attaches to any PVS-14 helmet mounting bracket (helmet and bracket not included).	1,233.35
VM-KIT	Video Monocle supplied with WalkAbout base, includes battery, charger, charger power supply and manual in W-CASE hard carry case.	2,522.56
<b>WalkAbout Options</b>		
WUH	WalkAbout Universal Harness	144.28
BAT-2	Spare battery pack for WalkAbout	83.78
D-BAT	External 8X 'D' cell Battery Pack in pouch on belt, less batteries	121.00
WVC	WalkAbout Video Cable Adapter (WalkAbout A/V plug to RCA jack), included in all systems, except the Starter Kit	32.58
WBC-PS1	WalkAbout Battery Charger with wall mount power supply & vehicle adapter	186.17
<b>Transmitters / Receivers</b>		
WXMT-2.4A	High performance transmitter for WalkAbout (factory installed), 2.4Ghz, 2 channel, range of 700', internal patch antenna included	949.44
TAR-2.4A	TagAlong, 2 channel 2.4 GHz Receiver, connects to WalkAbout camera connector, compatible with WXMT-2.4A, whip antenna included	1,335.75
RX-USB-2.4A	ToughGrabber wireless receiver with USB interface, mounted in a hard carry case measuring 11"x10"x5", operated with (8) 'D' cell batteries. Includes PC software to capture and store images. Compatible with WXMT-2.4A transmitter.	2,285.19
TAK-3	Patch antenna and 10 ft cable for TAR-2.4A, improves reception, for use with WPD-15X	428.18
<b>Thermal Cameras</b>		
THC-50	Thermal Imaging Camera, 1.75" dia. x 6" long, 50 deg FOV, fixed focus	11,630.74
THC-50D	Dual mode Thermal Imaging Camera (thermal imaging mode and infrared illuminated	12,096.15
<b>Under the Door Cameras</b>		
ZSV-CP	Under The Door Camera Kit including the Under The Door Camera (UDC), the Under The Door Camera Pole with universal joint and Camera Cable, less case.	6,976.58
ZSV-C	Under The Door Camera Kit including the Under The Door Camera (UDC) and Camera Cable (no pole), less case.	5,906.12
ZSV	Under The Door Camera, 70 deg Field of View, with IR LED illumination, internal microphone/amplifier and frame integration.	5,766.50
<b>Dual View Under the Door Cameras</b>		
ZDV-CP	Dual View Under the Door Camera Kit including the Dual View Under the Door Camera (UDCD) with two CCD sensors, the Under the Door Camera Pole with universal joint and Camera Cable, less case.	11,630.74
ZDV-C	Dual View Under the Door Camera Kit including the Dual View Under the Door Camera (UDCD) with two CCD sensors and Camera Cable (no pole), less case.	10,560.28
ZDV	Dual View Under the Door Camera Kit including the Dual View Under the Door Camera (UDCD) with two CCD sensors - a 70 degree field of view forward looking CCD sensor and a 50 degree FOV upward looking CCD sensor.	10,420.65
<b>Recon Robot</b>		
ZRS	Recon Scout Robot Kit including the Recon Scout Robot, Controller (connects to WalkAbout) and battery charger for the robot.	8,372.82
ZRS-IR	IR Recon Scout Robot Kit including the infrared illuminated Recon Scout Robot, Controller (connects to WalkAbout) and battery charger for the robot.	9,303.66

Item	Description	GSA
<b>Videoscope Kits</b>		
VSK4	Color Videoscope Kit, including 6mm diameter x 1.5m long flexible color videoscope with 4 way articulation, battery powered light, videoscope cable, guide tube, hard carry case (F-CASE) measuring 21"x 16" x 8"	12,561.57
VSK4-BW	BW Videoscope Kit, including 8mm diameter x 1.5m long flexible BW videoscope with 4 way articulation, battery powered light, videoscope cable, guide tube, hard carry case (F-CASE) measuring 21"x 16" x 8"	11,630.74
<b>Videoscope Systems</b>		
WA-VSS	Color Videoscope System, including WalkAbout 5" LCD Monitor (WM-4), 6mm diameter x 1.5m long flexible color videoscope with 4 way articulation, battery powered light, videoscope cable, guide tube and hard carry case (VS-CASE) measuring 38"x 17" x 6". Also includes WalkAbout accessories - rechargeable battery, battery charger, power supply (to power the battery charger or operate the WalkAbout), vehicle adapter (to power the battery charger or operate the WalkAbout) and sunshade.	14,655.94
WA-VSS-BW	BW Videoscope System, including WalkAbout 5" LCD Monitor (WM-4), 8mm diameter x 1.5m long flexible BW videoscope with 4 way articulation, battery powered light, videoscope cable, guide tube and hard carry case (VS-CASE) measuring 38"x 17" x 6" Also includes WalkAbout accessories - rechargeable battery, battery charger, power supply (to power the battery charger or operate the WalkAbout), vehicle adapter (to power the battery charger or operate the WalkAbout) and sunshade.	13,725.11
<b>Fiberscope Kits with Cameras</b>		
FSK2	Color Fiberscope Kit, including 6mm diameter x 1m long flexible fiberscope with 2 way articulation, battery powered light, FBC color borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	7,442.00
FSK4	ColorFiberscope Kit, including 8mm diameter x 1m long flexible fiberscope with 4 way articulation, battery powered light, FBC color borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	9,303.66
FSK2-BW	BW Fiberscope Kit, including 6mm diameter x 1m long flexible fiberscope with 2 way articulation, battery powered light, FBC-BW B&W borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	7,442.00
FSK4-BW	BW Fiberscope Kit, including 8mm diameter x 1m long flexible fiberscope with 4 way articulation, battery powered light, FBC-BW B&W borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	9,303.66
<b>Borescope Kits with Cameras</b>		
FK	Color Rigid Borescope Kit, including .25" diameter x 17" long rigid borescope, lithium battery powered light, 90 degree adapter tube, FBC color borescope camera, camera lens adapter, camera cable, hard carry case (F-CASE) measuring 21"x16"x8".	3,811.76
FKF	Color Flexible Borescope Kit, including .31" diameter flexible borescope, lithium battery powered light, charger, 90 degree tip, FBC color borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	4,928.75
FKB	Color Dual Borescope Kit, including .25" diameter x 17" long rigid borescope, .31" diameter flexible borescope, (2) lithium battery powered lights, 90 degree adapter tube for rigid borscope, 90 degree tip for flexible borescope, FBC color borescope camera, camera lens adapter, camera cable, guide tube for flexible scope, hard carry case (F-CASE) measuring 21"x16"x8".	6,418.08
FK-BW	BW Rigid Borescope Kit, including .25" diameter x 17" long rigid borescope, lithium battery powered light, 90 degree adapter tube, FBC-BW B&W borescope camera, camera lens adapter, camera cable, hard carry case (F-CASE) measuring 21"x16"x8".	3,625.58

Item	Description	GSA
<b>Borescope Kits with Cameras</b>		
FKF-BW	BW Flexible Borescope Kit, .31" diameter flexible borescope, lithium battery powered light, 90 degree tip, FBC-BW B&W borescope camera, camera lens adapter, camera cable, guide tube, hard carry case (F-CASE) measuring 21"x16"x8".	4,742.59
FKB-BW	BW Dual Borescope Kit, including .25" diameter x 17" long rigid borescope, .31" diameter flexible borescope, (2) lithium battery powered lights, 90 degree adapter tube for rigid borscope, 90 degree tip for flexible borescope, FBC-BW B&W borescope camera, camera lens adapter, camera cable,, guide tube for flexible scope, hard carry case (F-CASE) measuring 21"x16"x8".	6,231.92
<b>NOTES:</b>	<p>Change the "WA" in any WalkAbout system part number to a "WS" to select the <i>Detached Monitor WalkAbout</i>, which substitutes the WM-LCD (Detached Monitor WalkAbout) and the WalkAbout Base (WMW-BASE) for the standard WalkAbout (WM-4-MON).</p> <p>Change the "WA" in any WalkAbout system part number to a "WV" to select the Video Monicle (VM) and WalkAbout Base (WMW-BASE) for the standard WalkAbout Monitor (WM-4-MON) and WalkAbout Universal Harness (WUH).</p> <p>Change the "WS" in any WalkAbout system part number to a "WA" to include the standard WM-4-Mon Kit.</p> <p>The WalkAbout Kit includes a WalkAbout, rechargeable battery, battery charger, power supply (to power the battery charger or operate the WalkAbout), vehicle adapter (to power the battery charger or operate the WalkAbout), WalkAbout Universal Harness (WUH), sunshade and instruction manual.</p>	



**INFORMATION FOR ORDERING**

SCHEDULE TITLE: FSC Group 084, Solutions and More (AM), FSC Classes 6230, 6130, 6140 & 5855 "Law Enforcement & Security Equipment Program" GS-07F-9160D Effective through July 31, 2011

CONTRACTOR: MaxaVision Technologies, 169 Tequesta Dr. #24E, PO Box 4251, Tequesta, Florida 33469-9251 561-743-8180 ph, 561-743-8173 fax sales@maxavision.net www.maxavision.net

CAGE CODE: 02JL5  
BUS TYP & SIZE: Small Dealer  
TAX ID NUMBER: 65-043-8414  
DUNS NUMBER: 92-980-4102

AWARD SPECIAL ITEM NUMBER: 426-3A Emergency Signal Systems, 426-4C Night Vision Equipment, 426-4S Surveillance Systems

LOWEST PRICED MODEL NO: SIN 426-3A MBA-7200 Power Connector \$24.72, SIN 426-4C GT14DL2 Night Vision Monocular \$2849.25, SIN 426-4S WVC WalkAbout Video able Adapter \$32.08

9% Basic Discount from the following: Zistos Retail Price List July 1, 2009

11.89% Basic Discount from the following pricelists: ITT January 2009 Retail Price List, N)Vision Optics Retail Pricing Dated January 2008, Adams Industries June 2008 Retail Price Sheet, Morovision January 2009 Retail Price List, Peak Beam Systems January 2009 Suggested End User Price List

MAX ORDER LIMITAION: \$200,000 per SIN/Order  
MIN. ORDER: \$50.00

GEOGRAPHICAL COVERAGE: Domestic 50 States, Puerto Rico, US Territories and CONUS port or consolidation point for orders received overseas.

POINT OF PRODUCTION: SIN 426-3A Edgemont, PA , SIN 426-4C Roanoke, VA, Needham, MA & Los Angeles, Cam and Dana Point, CA, SIN 426-4S Holbrook, NY

VOLUME DISCOUNT: 1% \$50,000-\$99,999, 2% \$100,000-\$249,999, 3% \$250,000-\$499,999, 4% \$500,000-\$749,999, 5% 750,000-\$999,999, 6% \$1,000,000 or more

QUANTITY DISCOUNTS: None

PROMPT PAYMENT TERMS: 1% 20 DAYS, NET 30 DAYS

GOV'T CC'D: Accepted (VISA & MasterCard)

FOREIGN ITEMS: None

EXPEDITED DELIVERY: Deliveries are product specific - call to verify. 7-10 days ARO (to place shipment in transit) - call to verify. Consult with Contractor for urgent requirements.

FOB POINT: ORIGIN, prepaid and allowed. For UPS Ground in the 48 contiguous states. Freight prepaid & charged back to all other locations.

WARRANTY: Standard Commercial Warranty

CCR REGISTRATION: Valid through 9/09/2010